



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50117010-001



**Production Method:** Cured  
**Harvest/Lot ID:** 2889FCS2105  
**Batch#:** FCS001252889

**Processing Facility :** Florida Cannabis Supply Process and Manufacturing

**Source Facility:** Florida Cannabis Supply Process and Manufacturing

**Seed to Sale#:** FCS00125  
**Harvest Date:** 01/06/25  
**Sample Size Received:** 4 units  
**Total Amount:** 10000 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram

**Servings:** 1  
**Ordered:** 01/06/25  
**Sampled:** 01/17/25  
**Completed:** 01/20/25  
**Sampling Method:** SOP.T.20.010.FL

**TESTED**

Jan 20, 2025 | Florida Cannabis Supply Corporation

5164 S Florida Ave  
Inverness, FL, 34450, US




Pages 1 of 1

### SAFETY RESULTS

								
Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Miscellaneous NOT TESTED

### Cannabinoid TESTED



Analyzed by: 3335, 1665, 585, 1440      Weight: 0.2048g      Extraction date: 01/17/25 12:24:01      Extracted by: 3335  
 Analysis Method : SOP.T.40.031, SOP.T.30.031      Batch Date : 01/17/25 11:53:33  
 Analytical Batch : DA082344POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 01/20/25 10:35:10

Dilution : 400  
 Reagent : 011325.R05; 121724.01; 121624.R04  
 Consumables : 947.110; 04312111; 040724CH01; 0000355309  
 Pipette : DA-077; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
01/20/25